

S

46th Annual Meeting Division for Planetary Sciences **Tucson, AZ** 9-14 November 2014

AMERICAN ASTRONOMICAL SOCIETY

Enhancing and sharing humanity's scientific understanding of the universe since 1899.

STUDY OF THE COMET C/2013 A1 (SIDING SPRING)


By: A. Q. Vodniza¹ and M. R. Pereira², ¹University of Narino Observatory, Narino, Colombia, <u>aquijanov@gmail.com</u>, ²University of Narino Observatory, Narino, Colombia, <u>mariorojaspereira@yahoo.com</u>.

ABSTRACT

unar and Planetary Laborato

ΨÂŪ


The comet called C/2013 A1 (SIDING SPRING) was discovered on January 3, 2013 in Australia. In January 28/2014, NASA announced that is preparing for the close encounter that will happen between the comet C/2013 A1 and Mars on October 19-2014. The Mission called "MAVEN" will insert in Mars orbit on september 21—2014. The comet will pass just 138,000 kilometers far from the surface of Mars. The probability that the comet collides with Mars is small but the dust particles emitted by the comet can cause damage to spacecrafts and probes that are in orbit around that planet. NASA is making preparations to take all precautions. If the comet is quite active, there will be almost no time to take security measures with Mars orbiters. For that reason NASA is already ahead of the facts. According to scientists of the "JET PROPULSION LABORATORY-JPL", dust particles spewing from the comet may be traveling at 56 km / sec in relation to the orbiters, fifty times faster than the speed of a bullet. From our Observatory, located in Pasto-Colombia, we captured several pictures, videos and astrometry data during several days. The pictures of the asteroid were captured with the following equipment: CGE PRO 1400 CELESTRON (f/11 Schmidt-Cassegrain Telescope) and STL-1001 SBIG camera. We obtained the light curve of the body. Astrometry was carried out, and we calculated the orbital elements.




Comet Siding Spring (C/2013 A1) is racing toward Mars for a close encounter in October 2014.

encounter in October 2014.

	JAN 21 to APRIL 02	JAN 21 to OCT 29	PERTURBATION (%)
Eccentricity	1,0003983	1,0005849	0,018
Orbital inclination	1,0005905		0,010
Ascending node	300,9953800		-0,006
Argument of perihelion	2,4231000		-0,123
Perihelion distance	1,4002320		-0,104
Observations	20		0,201
Mean residual	0,334		
			-
• • •	•	•••	
	•••••	•	•
•	• : •		
	•		
	· ·	• •.	•
SIDING	VODNIZA_BEGIN	•	
•		•	• •
	•	• • •	• •
Diference =	7′ 44′′	• •	
	•		····
• • • • •	• • •	· · · · ·	•
	• • •	•	*
	•	•.	•••
	• • •	• •	•••
SIDING_VC		• Time Nov • 11 2014	15:30:00
	•	Su Mo Tu We Th Fr Sa	
SIDING_VC	DDNIZA_LAST	Nov 🔿 11 2014	







Note: The planet MARS is the brightest body

SUMMARY AND CONCLUSIONS

We obtained the following orbital parameters (**Jan 21 to April 02**): eccentricity = 1.0003983, orbital inclination = 129.03078 deg, longitude of the ascending node = 300.99538 deg, argument of perihelion = 2.42310 deg, perihelion distance = 1.40023196 A.U. The parameters were calculated based on 20 observations with mean residual = 0.334 arcseconds.

C/2013 A1 (Siding Spring) Date: October 20 /2014 Time = 23h : 49': 11'' (U.T) By: Alberto Quijano Vodniza and Mario Rojas Pereira University of Narino Observatory - Pasto, Colombia CGE Pro 1400 CELESTRON & STL-1001E SBIG camera

LIGHT CURVE OF COMET SIDING SPRING By: Alberto Quijano Vodniza -University of Narino Observatory January 21 to October 21/2014 GEOCENTRIC LIGHT CURVE OF COMET By: Alberto Quijano Vodniza - University of Narino Observatory January 21 to October 21/2014 SECULAR LIGHT CURVE OF COMET By: Alberto Quijano Vodniza - University of Narino Observatory January 21 to October 21 / 2014

